



MONTOLIT GRABO®

Superior GALESK

and for the

Integra Adhesjves

StoneLux Advanced Repair Technology

CATALOGUE 3.0




STONE & TILE TOOLS + EQUIPMENT

liameter 300mm





A global leader in the stone and tile industries.



The Diarex Group is a strategic partnership between the leading suppliers of stone and tile tools and equipment from around the globe. Consisting of companies from Australia, Germany, USA, Canada and New Zealand, the Diarex Group works closely together to develop the tools and equipment that will drive the stone and tile working industries. With each company renowned in their respective industries, the Diarex Group aims to provide high quality products that redefine the stone and tile industries globally.

CDK Stone is proud to be associated with the Diarex Group and to be supplying these high quality tools to the Australian market. Through this strategic partnership, CDK Stone is able to offer an exclusive range of premium diamond blades, grinding tools, polishing tools, handling equipment and more. CDK Stone is the industry leader for high quality, reliable stone and tile tools in Australia and New Zealand

POLISHING PADS & GRIDING DISCS

DIAFLEX NINJA HAND PAD POLISHING PAD FLAP DISCS GRANITE MARBLE QUARTZITE ENGINEERED NEW GEN ENGINEERED ____ PORCELAIN CERAMIC CONCRETE GLASS STONEWARE


Blade material usage key:

Not Recommended Suitable Works Well Works Verv Well Please note all recommendations are a guide only. Performance will vary depending on material. Always perform a test if unsure.

SAFETY INFORMATION & TIPS

- Always use safety guards, safety gloves, ear protection and safety glasses.
- Always secure the material being processed with clamps.
- Inspect the polishing pad/discs for damage before every use.
- Always use with a central water feed or a water swivel and do not overheat. Incorrect use may cause polishing pad/discs to fracture.
- Be sure electrical cord is unplugged or the battery is removed during polishing pad/discs installation or removal.
- Please refer to the usage chart for the correct tool for the material being processed. • Some polishing pad/discs may require wearing in before performing at their optimum ability.
- Only process the material for which the polishing pad/discs is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a polishing pad/disc installed.
- If you are unsure about the safety of a diamond polishing pad/disc, replace the polishing pad/disc with a new one.

POLISHING & GRINDING USAGE CHART



DIAMOND POLISHING AND GRINDING

DIAREX DIAFLEX HAND PAD 90x55MM

For wet hand use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain.

GRADE	COLOUR	CODE
60 Metal	Green	DFHP90M0060
120 Metal	Black	DFHP90M0120
200 Metal	Red	DFHP90M0200
400 Metal	Yellow	DFHP90M0400
800 Metal	Silver	DFHP90M0800
1800 Metal	Blue	DFHP90M1800
800 Resin	White	DFHP90R0800
1800 Resin	Blue	DFHP90R1800
3000 Resin	Orange	DFHP90R3000

CODE

DI.4V.0050

DI.4V.0100

DI.4V.0200

DI.4V.0400

DI.4V.0800

DI.4V.1500

DI.4V.3000

COLOUR

Brown

Orange

Yellow

Green

Purple

Blue

Red

GRADE

50

100

200

400

800

1500

3000

CODE

DCW4UCS1A



DIAREX **ICE POLISHING DISC 100MM**

Excellent value for money, Diarex Ice white resin diamond polishing tools. Suitable for polishing Marble, Granite, Engineered Stone, Glass, Ceramics and Porcelain. These high quality tools are designed for use with water to achieve a high gloss finish.

DIAREX NINJA DIAMOND FLAP DISCS

For shaping, grinding and beveling edges on Natural Stone, Engineered Stone, Porcelain & Sintered Stone. These premium quality discs allow for fast grinding and heavy stock removal. M14 fitting.

GRIT	SIZE	CODE
60	115mm	DFD115X22P50M060
120	115mm	DFD115X22P50M120
200	115mm	DFD115X22P50M200
400	115mm	DFD115X22P50M400



ADI **ULTRA COMPACT SURFACES GRINDING CUP 115MM**

Designed for use with Ultra Compact Surfaces & Sintered Stone, this grinding cup ensures exceptional performance. The diamonds are precisely embedded to maintain uniform height across all tips, effectively preventing material chipping. This innovative design results in good performance on hard Ceramic materials, Ultra Compact Surfaces, Sintered Stone & Porcelain. M14 fitting.

DIAREX WHITE POLISHING PAD 100MM

Diarex White polishing pads are made with the highest quality materials for achieving a fast and high quality finish on Engineered Stone surfaces. With a non-marking resin designed for wet use only, these polishing pads are perfect for achieving outstanding results.

GRADE	COLOUR	CODE
50	Green	DW.4V.0050
100	White	DW.4V.0100
200	Yellow	DW.4V.0200
400	Blue	DW.4V.0400
800	Orange	DW.4V.0800
1500	Dark Green	DW.4V.1500
3000	Red	DW.4V.3000



D]V₄₹╏⇒Ĭ∢ **DIAREX WHITE POLISHING PAD**

125MM

Diarex White polishing pads are made with the highest quality materials for achieving a fast and high quality finish on Engineered Stone surfaces. With a non-marking resin designed for wet use only, these polishing pads are perfect for achieving outstanding results.

GRADE	COLOUR
50	Light G
100	White
200	Yellow
400	Blue
800	Orange
1000	White
1500	Green
3000	Red
BUFF	Black

DIAREX XPRESS POLISHING DISC 100MM

3 Step Polishing for wet use on Marble, Granite and Engineered Stone.

POSITION	COLOUR
1	Red
2	Blue
3	Orange

DIAREX SET OF 3 XPRESS PADS

3 Step Polishing for wet use on Marble, Granite and Engineered Stone

POSITION	
1, 2, and 3	

Silicon carbide sanding discs for use on Marble & Granite.

GRIT	CODE
60	SD125V060
120	SD125V120
220	SD125V220
320	SD125V320
400	SD125V400
600	SD125V600
800	SD125V800

SAIT SANDING DISC 125MM

U	IAREX	

03

DIAMOND POLISHING AND GRINDING

	CODE
een	DW.5V.0050
	DW.5V.0100
	DW.5V.0200
	DW.5V.0400
	DW.5V.0800
	DW.5V.1000
	DW.5V.1500
	DW.5V.3000
	DW.5V.BUFF




CODE	
DX.4V.1	
DX.4V.2	
DX.4V.3	



CODE	
DX.4V.SET	





POLISHING PAD BACKING PADS

DIAREX **RIGID RUBBER QRS BACKING PAD** Low flexibility rubber backer. Made from high quality rubber with hook and loop Velcro. Central hole for wet polishing.

DIAREX **RIGID ALUMINIUM QRS BACKING PAD**



SIZE

SIZE

SIZE

100mm

130mm

75mm

100mm

130mm

THREAD

M14

M14

M14

THREAD

THRFAD

M14

M14

CODE

CODF

VCOUP10AF

VCOUP13AF

VCOUP07A

VCOUP10A

VCOUP13A



Rigid Aluminium for a more precise, efficient and durable polishing process. With hook and loop Velcro. Central hole for wet polishing.

DIARFX SUPER FLEXIBLE RUBBER QRS **BACKING PAD**

Super flexibility rubber backer. For curved or irregular shapes and/or soft delicate surfaces. Made from high quality rubber with hook and loop Velcro. Central hole for wet polishing.


DIAREX SEMI-RIGID PLASTIC QRS **BACKING PAD WITH 10MM** FOAM CUSHION

10mm foam cushion allows for use on irregular surfaces, soft and delicate surfaces. Great for final polishing without swirl marks or imperfections. Central hole for wet polishing.

SIZE	THREAD	CODE
100mm	M14	VCOUP10ASR
125mm	M14	VCOUP12ASR



SMALL BLADES



Not Recommended Suitable Works Well Works Very Well

Please note all recommendations are a guide only. Performance will vary depending on material. Always perform a test if unsure

SAFETY INFORMATION & TIPS

- Always use safety guards, safety gloves, ear protection and safety glasses. • Always secure the material being cut with clamps.
- Only use blades for straight cuts.
- Do not use blades for circular/curved cuts and grinding, this will damage the blade.
 - Blades with a diameter of 125mm or less can cut material with a maximum thickness of 15mm. • For blades with a diameter of 180mm or more, the maximum thickness the blade can cut will be determined by the machine's capabilities. Please refer to your machine's manual/usage guide to determine the maximum thickness the machine can process.
 - Inspect the blade for damage before every use.
 - Do not overheat the blade.
 - Incorrect use may cause blades to fracture or warp.
- Please refer to the usage chart for the correct blade for the material being cut.
- Ensure the blade reducer ring is flush in the blade and the machine is clear of debris.
- Be sure electrical cord is unplugged or the battery is removed during blade installation or removal. • The blade should be mounted with the arrows pointing in the direction of rotation.
- Some blades may require wearing in before performing at their optimum ability.
- Make sure the bore of the saw blade correctly matched the diameter of the blade mount.
- Only cut the material for which the blade is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a blade installed. • If you are unsure about the safety of a diamond blade, replace the blade with a new one.

SMALL BLADE USAGE CHART

STINGER	ULTRATHIN	VANITY	VIPER
			1 m

SMALL BLADE USAGE CHART

• Always use with a central water feed, a water swivel, an on-tool continuous water flow system or an effective on tool extraction system.

DIAREX **COBRA ULTRA THIN TURBO**

A versatile blade suitable for cutting a wide range of materials including Granite, Marble, Quartzite, Engineered Stone, Porcelain, Ceramic and Concrete. With excellent performance on hard materials, this blade is also a great choice for cutting stoneware. Includes a 15.85mm reducer.

SIZE (MM)	BORE (MM)	CODE
105	22.2	DBT105UC
115	22.2	DBT115UC
125	22.2	DBT125UC

BORE

(MM)

22.2

BORE

(MM)

22.2

22.2

CODE

CODE

DB105EMS

DB125EMS

DBR125DED

SIZE

(MM)

125

SIZE

(MM)

105

125



DIAREX ED ELECTROPLATED

The ED blade is a great all-around blade that performs well on Marble, Porcelain and Ceramics. Its diamond coating ensures a clean, precise cut every time. Includes a 15.85mm reducer.

DIAREX **EMS SEGMENTED**

A specialized blade designed for cutting softer materials such as Marble and Ceramic. Its high speed cutting action and efficient design make it a great choice for projects where speed and precision are key. Includes a 15.85mm reducer.

DIAREX **EXCEL TURBO**

The Excel blade is a high performance blade that excels at cutting hard materials such as Granite and Engineered Stone. Its narrow cutting width and high diamond concentration ensure a clean, precise cut every time.

SIZE BORE CODE (MM) (MM) 125





DIAREX
STINGER ULTRA THIN TURBO

The Stinger blade is a versatile blade suitable for cutting a wide range of materials including Granite, Marble, Quartzite, Engineered Stone, Porcelain, Ceramic and Concrete. Its high diamond concentration ensures fast, efficient cutting, while its cooling holes prevent overheating and prolong blade life. Includes a 15.85mm reducer.

SIZE (MM)	BORE (MM)	CODE	
105	22.2	DBT105US	
125	22.2	DBT125US	



DIAREX **ULTRA THIN TURBO**

The Ultra-Thin blade is a specialized blade designed for cutting Porcelain and Ceramic tiles. Its ultra-thin design ensures minimal chipping, while its high diamond concentration ensures long-lasting performance. Includes a 22.2/15.85mm or 30/25mm reducer.

DIAREX	
VANITY	

SIZE (MM)	BORE (MM)
125	22.2

SIZE

(MM)

105

115

125

180

200

BORE

(MM)

22.2

22.2

22.2

30

30

The Vanity blade is a high quality blade designed specifically for cutting Marble and other soft materials. Its narrow cutting width and high diamond concentration ensure a clean, precise cut every time. Includes a flange attached that is an M14 fitting for use in tight areas.

DIAREX **VIPER ULTRA THIN**

SIZE (MM)	BORE (MM)
100	22.2
125	22.2

The Viper blade is a versatile blade suitable for cutting a wide range of materials including Granite, Marble, Quartzite, Engineered Stone, Porcelain, Ceramic, Concrete and even Glass. Its diamond coating ensures a clean, precise cut, while its cooling holes prevent overheating and prolong blade life. With an additional diamond coating on the blade's side, the Viper is also ideal for trimming and shaping projects. Includes a 15.85mm reducer.



SMALL BLADES

CODE DBT105UT DBT115UT DBT125UT DBT180UT DBT200UT









DBV125DED

CODE



CODE





HIGH QUALITY, RELIABLE WET GRINDER

GALESKI ECOMAX VARIO

THE GALESKI ECOMAX VARIO IS A LIGHT AND COMPACT WET GRINDER. THIS ONE HANDED CUT-OFF SAW IS PERFECT FOR WET **PROCESSING NATURAL STONE, ENGINEERED** STONE, TILES, PAVERS, PORCELAIN OR CERAMICS, DEPENDING ON THE BLADE.

FEATURING A CONTINUOUS WATER FEED AND SPLASH GUARD. THE ECOMAX VARIO IS A VARIABLE SPEED GRINDER WITH ADJUSTABLE SPEED DIAL

THE GALESKI ECOMAX VARIO IS MADE FROM HIGH QUALITY MATERIALS AND FEATURES A ERGONOMIC DESIGN. THE GRINDER'S BLADE **GUARD CAN BE EASILY REMOVED FOR QUICK** ACCESS TO THE SPINDLE.

THE 125MM VERSION OF THE ECOMAX VARIO NOW FEATURES A BRUSHLESS MOTOR FOR INCREASED PRODUCTIVITY.

THE GALESKI WET GRINDER IS THE **ULTIMATE ON-SITE GRINDER FOR** WET PROCESSING.



MAX CUTTING Depth	MAX DISC DIAMETER	SPINDLE Speed	SPINDLE Thread	CODE
25mm	125mm	1900- 9500rpm	22.2mm, M14	ECOMAX125VARIOBL
58mm	180mm	1700- 6800rpm	22.2mm, M14	ECOMAX180VARIO
63mm	230mm	6600rpm	22.2mm, M14	ECOMAX230VARIO

GALESKI ECOMAX VARIO FEATURES



CONTINUOUS ON-TOOL WATER FEED THAT IS ADJUSTABLE




SPLASH GUARD TO PROTECT MACHINE FROM WATER & SLURRY

VARIABLE SPEED DIAL TO ADJUST RPM SPEED OF SPINDLE



LARGE BLADES



Blade material usage key:

Please note all recommendations are a quide only. Performance will vary depending on material. Always perform a test if unsure

SAFETY INFORMATION & TIPS

- Always use safety guards, safety gloves, ear protection and safety glasses. • Always secure the material being cut with clamps.
- Only use blades for straight cuts.
- Do not use blades for circular/curved cuts and grinding, this will damage the blade.
- Blades with a diameter of 125mm or less can cut material with a maximum thickness of 15mm.
- capabilities. Please refer to your machine's manual/usage guide to determine the maximum thickness the machine can process.
- Inspect the blade for damage before every use.
- Always use with a central water feed, a water swivel, an on-tool continuous water flow system or an effective on tool extraction system. • Do not overheat the blade.
- Incorrect use may cause blades to fracture or warp.
- Please refer to the usage chart for the correct blade for the material being cut.
- Ensure the blade reducer ring is flush in the blade and the machine is clear of debris.
- Be sure electrical cord is unplugged or the battery is removed during blade installation or removal. • The blade should be mounted with the arrows pointing in the direction of rotation.
- Some blades may require wearing in before performing at their optimum ability.
- Make sure the bore of the saw blade correctly matched the diameter of the blade mount.
- Only cut the material for which the blade is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a blade installed. • If you are unsure about the safety of a diamond blade, replace the blade with a new one.

LARGE BLADES **USAGE CHART**

Not Recommended Suitable Works Well Works Very Well

• For blades with a diameter of 180mm or more, the maximum thickness the blade can cut will be determined by the machine's

LARGE BLADES

LARGE DIAREX **BLACK LABEL BLADE** BLADES The Diarex Black Label Blade is a continuous rim, premium quality blade for fast, clean cutting of Porcelain and

OPERATING PARAMETERS

	of ERATING PARAPETERS				
BLACK LABEL BLADE	DEPTH OF CUT	DIAMETER	RPM	FEED SPEED	FEED SPEED MITRE
The Diarex Black Label Blade is a	Up to	230mm	1850 - 2800	Manual	Manual
continuous rim, premium quality blade		250mm	1850 - 2800		
for fast, clean cutting of Porcelain and		300mm	1850 - 2800		
Ceramic tiles. Includes a 30/22.2mm or		350mm	1850 - 2800		

	SIZE	BORE (MM)	CODE
	230mm	30	DBR230BLC
	250mm	30	DBR250BLC
	300mm	50.15	DBR300BLC
	350mm	50.15	DBR350BLC
100			

RPM

1850 - 2800

1850 - 2800

CODE

RPM

DB300C5

DB350C5

1850 - 2800

1850 - 2800

CODE

DB300M5

DB350M5

FEED SPEED

Manual

FEED SPEED

Manual

FEED SPEED MITRE

FEED SPEED MITRE

Manual

Manual

OPERATING PARAMETERS

OPERATING PARAMETERS

DIAMETER

300mm

350mm

60

60

DIAMETER

300mm

350mm

60

60

30

BORE (MM)

BORE (MM)

DEPTH OF CUT

Up to

20mm

SIZE

300mm

350mm

DEPTH OF CUT

Up to

20mm

SIZE

300mm

350mm

DIAREX LUNA C5 PORCELAIN

50.15/30mm reducer.

Special quality blade for wet-cutting Porcelain and Ceramics also suitable for mitering Natural and Engineered Stone.



DIAREX М5

The Diarex M5 Blade is a premium quality blade for wet-cutting of Marble, soft stones and delicate material. The Diarex M5 Blade produces clean and sharp edges and almost no chipping.



DIAREX **STONEWARE BLADE**

The Diarex Stoneware Blade is the ultimate blade for cutting Stoneware tiles and thick Porcelain on portable wet saws



	OPERATING PARA	AMETERS			
	DEPTH OF CUT	DIAMETER	RPM	FEED SPEED	FEED SPEED MITRE
	Up to	250mm	1850 - 2800	Manual	Manual
5	20mm	300mm	1850 - 2800		
i.		350mm	1850 - 2800		
	SIZE	BORE (MM)	CODE		
	250mm	30	DB250SW		
	300mm	30	DB300SW		

DB350SW

DIAREX	OPERATING PARAMETERS

TGB GRANITE

TGB GRANITE	DEPTH OF CUT	DIAMETER
Premium quality blade for wet cutting Grantite and hard stone. Suitable for high	Up to	250mm
	20mm	300mm
peripheral speed portable site saws.		350mm

SIZE

250mm

300mm

350mm



DIAREX **ULTRA TURBO ULTRA THIN**

The Ultra Thin blade is a specialized blade designed for cutting Porcelain and Ceramic tiles. Its ultra-thin design ensures minimal chipping, while its high diamond concentration ensures long-lasting performance. Includes a 25mm or reducer.

OPERATING PARAMETERS DIAMETE DEPTH OF CUT Up to 230mn 20mm 250mn 300mn 350mn



SIZE	BORE (MM)	CODE
230mm	30	DBT230UT
250mm	30	DBT250UT
300mm	30	DBT300UT
350mm	30	DBT350UT



Diarex is committed to ensuring our industry stays safe. As part of our ongoing efforts to educate and inform the industry, we are encouraging our customers to stay up to date with the latest Safety Data Sheet (SDS) for each product they use.

All the Safety Data Sheets for products supplied by Diarex can be found at: www.diarex.com.au/sds

350mm

LARGE **BLADES**

LARGE BLADES

ER	RPM	FEED SPEED	FEED SPEED MITRE
m	1850 - 2800	Manual	Manual
m	1850 - 2800		
m	1850 - 2800		

BORE (MM)	CODE
30	DB250TGB
30	DB300TGB
30	DB350TGB

ER	RPM	FEED SPEED	FEED SPEED MITRE
m	1850 - 2800	Manual	Manual
m	1850 - 2800		
m	1850 - 2800		
m	1850 - 2800		



View all SDS's at: diarex.com.au/sds

Please note all recommendations and parameters are a guide only. Feed Speeds, RPMs and any technical operating parameters or recommendations will vary depending on material. Always perform a test on material if unsure.

MANTA PREMIUM QUALITY PORTABLE WET SAW

MANTA ALUMINIUM PORTABLE SAW

THE MANTA TABLE SAW IS PERFECT FOR WET PROCESSING NATURAL STONE, ENGINEERED STONE, TILES, PAVERS, PORCELAIN OR CERAMICS, DEPENDING ON THE BLADE.

FEATURING AN INTEGRATED WATER TANK WITH RECIRCULATING PUMP SYSTEM, THIS SAW HAS A 45-DEGREE BRIDGE TILT THAT IS IDEAL FOR MITRED EDGES.

THE MANTA PORTABLE SAW IS MADE FROM HIGH QUALITY MATERIALS AND FEATURES A ROBUST DESIGN. THE SAW'S LEGS CAN FOLD DOWN FOR EASY TRANSPORT IN A TRUCK, UTE OR VAN.

AN OPTIONAL EXTENSION PLATE AND SIDE EXTENSION ROLLERS ARE ALSO AVAILABLE FOR THE MANTA PORTABLE SAW.


THE MANTA PORTABLE SAW IS THE ULTIMATE ON-SITE SAW FOR WET PROCESSING.

E SAW IS THE W FOR WET	MAX DISC Diameter	MAX CUTTING Thickness	SPINDLE SPEED	MOTOR	CUTTING Length	CODE
	350mm	110mm	2800rpm	2.2kw 230V	1000mm	MANTA100A
	350mm	110mm	2800rpm	2.2kw	1200mm	MANTA120A

MANTA PORTABLE SAW FEATURES



45 DEGREE TILT FOR MITRED AND ANGLED CUTS



STAINLESS STEEL WATER TANK & RECIRCULATING PUMP SYSTEM



FOLDABLE LEGS WITH WHEELS FOR EASY TRANSPORTATION



DIAREX VDU CORE DRILLS

Limestone. M14 fitting

VDU CORE DRILLS Premium quality long life drill bit

for Porcelain, Ceramic, Marble and

SIZE	CODE
6mm	DCD006VI
8mm	DCD008VI
10mm	DCD010VE
12mm	DCD012VE
16mm	DCD016VE
20mm	DCD020VI
25mm	DCD025VI
30mm	DCD030VI
32mm	DCD032VI
35mm	DCD035VI
38mm	DCD038VI

DIAREX VDU ROUTER BITS

SIZE	CODE
10mm	DRB10A
20mm	DRB20A

Premium quality long life router bit for milling Porcelain, Ceramic, Marble and Limestone. M14 fitting.

DIAREX VDU CORE DRILLS KIT

CODE

Premium quality long life drill bits for Porcelin, Ceramic, Marble and Limestone. M14 fitting. The kit includes 6, 8, 12, 20, 38 & 50mm core drills, 10mm and 20mm router bits and M14 to shank adaptor.

DIAREX Chamfer Kit

CODE DCBKITVDU

Vacuum brazed diamond chamfering bit Conic chambering wheel. Bevel Ease chamfers and stress relieves for holes in Glass, Ceramic and Porcelain tiles. The kit includes 5-12mm, 5-35mm and 35-75mm chamfering bits.

DIAREX GRINDER THREAD ADAPTOR PACK

THREAD CODE M10/M14 TAM

The Diarex Grinder Thread Apaptor Pack allows you fit any M14 diamond tool to an M10 grinder. M10 to M14 thread. Includes one M10 with 1.25mm pitch and one M10 with 1.5mm pitch.

DIAREX DRILL SHANK ADAPTER

THREAD	CODE
M14	TAM1


With the Diarex Drill Shank Adapter, you can fit any M14 diamond tool to a drill. 9mm Hex Shank to M14 thread.

MANUAL GRINDING AND DRILLING

	SIZE	CODE
)U	40mm	DCD040VDU
)U	45mm	DCD045VDU
U	50mm	DCD050VDU
U	55mm	DCD055VDU
U	60mm	DCD060VDU
)U	70mm	DCD070VDU
)U	80mm	DCD080VDU
)U	90mm	DCD090VDU
)U	100mm	DCD100VDU
)U	110mm	DCD110VDU
)U		









TAM14M10KIT









SIZE

SIZE

One size

fits all

125mm

CUTTING & GRINDING SAFETY EQUIPMENT



HERZO

HERZO VACUUM GRINDING SHROUD

125mm Angle Grinder dust shroud for grinding designed to give workers a no-dust environment. Universal kit for nearly all brand angle grinders.

VACUUM CUTTING SHROUD


cutting designed to give workers a

nearly all brand angle grinders.

125mm Angle Grinder dust shroud for

no-dust environment. Universal kit for

CODE SIZE





CODE

SE.APRON2000

CODE

5ULEVC



ALPHA WATERPROOF APRON **SLEEVELESS**

Premium quality waterproof stonemasons apron in hi-vis yellow. Protects from water, dust & chemicals. Dual adjustable clips for a perfect fit. Sleeveless with wide straps for comfort.

ALPHA WATERPROOF APRON LONG SLEEVE

Premium quality waterproof stonemasons apron in hi-vis yellow. Protects from water, dust & chemicals. Dual adjustable clips for a perfect fit. Long-sleeved with rubber cuffs.

CODE SIZE Large SE.APRON2LSR SE.APRON2LSS Small



ISCAN LEVELING SYSTEM

TUSCAN LEVELLING SYSTEM

Straps are made from a propriety blend nylon which allows elasticity to provide a better finish 1mm thickness allows thinner grout line.

- Perforated to break in the right place every time.
- Flat base straps require less glue and provide greater adhesion.
- Caps designed for durability and longer life (can be used dozens of times).
- Special locking system with hand-sharpened stainless steel tongue prevents any slippage.
- The system is easy to learn and use, at any skill level.
- Makes installation twice as fast, and more profitable.
- Reduces installer fatigue and stress.
- Drastically reduces the need for grinding.
- For use with tiles 300mm or larger.

PRODUCT	PIECES PER BOX	CODE
Сар	250	TLSC0250
Strap	200	TLSS0200
Strap	1000	TLSS1000
Ungauged Strap	1000	TLSU1000
Ergonomic setting tool	1	TLSSTEP



TUSCAN SEAM CLIP

The Tuscan SeamClip™ is the world's first one-piece joint levelling system.

Tuscan SeamClip will greatly assist in the installation of Porcelain, Stone, Ceramic, Marble, Granite and large format tiles from 3mm to 13mm in thickness.

Tuscan SeamClip[™] | WHITE For use on calibrated large format thin ceramic tiles. 3mm - 6.5mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | BLUE For use on calibrated large format thin ceramic tiles. 6.5mm - 9.5mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | RED For use on calibrated floor and wall tiles. 9.5mm - 13mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | ORANGE For use on calibrated floor and wall tiles. 9.5mm - 13mm thickness. Produces a 1.59mm grout.

COLOUR	PIECES PER BOX	CODE
Blue	150	TSCB0150
Blue	500	TSCB0500
Orange	150	TSC00150
Orange	500	TSC00500
Red	150	TSCR0150
Red	500	TSCR0500
White	150	TSCW0150




LEVELING **SYSTEMS**





Lay the tile




Attach setting tool

LEVELING SYSTEMS





Wait for glue to dry



Remove strap and cap







MONTOLIT

TILING Tools

Rapid Rapid High Speed Seaming Adhesive



Surface Bonder Rapid is developed to cure in half the time of similar products to get you on to the next job quickly.

- ✓ Fast 4-8 minute working time
- ✓ 25 standard colors
- Non-sagging, mess free formula
- High-strength bonding
- Developed for Quartz, Natural Stone and Sintered Materials
- ✓ Styrene-free



MONTOLIT MASTERPIUMA P5 TILE CUTTER

TILING TOOLS

This range of super-professional manual tile cutter can cut all types of tile, with thickness of 0-22 mm, quickly and accurately. Thanks to the oversized goniometric square that can rotate both to the right & left 45 degrees, even diagonal cutting is safe and simple.

SIZE	CODE	CONSUMABLES	CODE	
63cm	63P5	Replacement	M0N245	
75cm	75P5	Wheel		S.
93cm	93P5	Replacement	MON245T	(
131cm	131P5	Titanium Wheel		. 16
161cm	161P5	Oil Dispenser	515-5))
		5 Pack		

MONTOLIT CRAB NIBBLER 33W

CODE 33W

CODE

FL3

CODE

MFL2-PU

For making classic and artistic mosaics, small finishing touches, angles, special shapes and breaking tiles into small pieces.

MONTOLIT Flash line 3 cutting system

"No Limits" extendable system with rails. Features a patented non-slip system without suction cups. Also features a quick elastic connection and a 3WD rotation – Titanium wheels selection system.

MONTOLIT MOTO FLASH LINE 2 CUTTING SYSTEM


Motorized cutting system that works with the Flash Line cutting system. Features on tool dust extraction.

MONTOLIT SUPERLIFT



CODE

300-20





MONTOLIT WORK TABLE

A multipurpose, modular work table for large format tiles and slabs. The table is fully adjustable table that can be disassembled for easy transport. 1150mm x 1800mm with a max load of 180kg.





Integr<u>a</u> Adhes<mark>jves</mark>

6

Integra Adhesjves

∎"ï∎

Glacier

White

Alabaster

Silver

Oyster

Storm

Grey

Onyx

Earth

Antique

Coastal

Path

Integra Adhes ves

INTEGRA SURFACE BONDER RAPID

INTEGRA

INTEGRA

COLOUR 250ml variou pre-co

SIZE

Integra Adhesive's Surface Bonder Rapid is a fast, high strength, no sag adhesive that has been developed to improve production output for high volume fabrication.

Perfect for stone fabrication. Surface Bonder Zero is a non sagging adhesive specifically designed for Quartz and Natural Stone products. Its non-sag properties make it ideal for mitered edges, the adhesive stays right where you put it. Surface Bonder Zero is also great for vertical applications making it an ideal adhesive for deck seam installations in the field. No drips, no mess.

SURFACE BONDER ZERO

SIZE COLOUR วนร

Surface Bonder Ultra is a versatile adhesive for Ceramics & Sintered Stone, Natural Stone, Quartz, Glass. UV and weather stable for indoor and outdoor use. Zero yellowing, staining or bleeding.

SURFACE BONDER ULTRA

215ml	various
	pre-col

INTEGRA ADHESIVE STATIC MIXER

Features a bayonet style mechanism for quick attachment and removal. The unique downpipe on the coaxial design keeps both the adhesive and catalyst components separate to prevent cross-contamination. Activator is split into two streams at the base of the tip vastly increasing mixing power. Squared nozzle design helps maintain a steady, even bead along the entire joint.

PRODUCT	SIZE	CODE
Rapid / Zero	250ml	IA.SM.250
Ultra	215ml	IA.SBUSM.215

INTEGRA ADHESIVES DISPENSER

The Intergra dispensers offers high quality features of non-drip mechanism, steel frame, powder coated finishes, plastic coated handles, instant pressure release & wear compensation screw.

PRODUCT	SIZE	CODE
Ultra	215ml	IA.DISP.215
Rapid / Zero	250ml	IA.DISP.250



ADHESIVES

	CODE	
is oloured	IA.RA####.250	





COLOUR	CODE
various pre-coloured	IA.ST####.250
pre cotoureu	



	CODE
s Iloured	IA.SBU####.215









SUPERIOR GOLD

Superior GOLD is a revolutionary and unique adhesive perfectly suited for use on nearly all stone surfaces both indoors and outdoors. Superior GOLD is very light/white (pearlescent/translucent) in colour making it ideal for invisible joints, especially on light/white coloured stones. UV resistant. Ideal for Natural Stone, Sintered Stone, Quartz Surface, Solid Surface and more!

VISCOSITY	SIZE	CODE
GV1	1L	SUPGV101
GV1	4L	SUPGV104
GV1	20L	SUPGV120
GV5	1L	SUPGV501
GV5	4L	SUPGV504
GV5	20L	SUPGV520
GV9	1L	SUPGV901
GV9	4L	SUPGV904
GV9	20L	SUPGV920



1

PEARL

PV-5

KNIFE GRADE

ADHESIVES





SUPERIOR COLOUR PASTE

Superior Coloring Paste is technologically advanced. Using unique resin technology, this color paste ensures you get a true color match and longer shelf life. The color you create will be the same after the adhesive has cured. Features a unique resin technology for a true color match, longer shelf life, as well as, available in 10 different colors.

SIZE	COLOUR
60ml	Black
60ml	Blue
60ml	Brown
60ml	Buff
60ml	Grey
60ml	Green
60ml	Ochre
60ml	Red
60ml	Rust
60ml	White

SUPERIOR	
COLOUR PASTE KIT	

Superior Coloring Paste kit in assorted colours.


SIZE	COLOUR	CODE
60ml	assorted colours	SUPCOLAST60

SUPERIOR FUSION

Ester and Modified Acrylic adhesive technology. Perfect for seaming, mitering, laminating and chip repair. Ideal for Natural Stone, Sintered Stone, Quartz Surface, Solid Surface and more!

VISCOSITY	SIZE	CODE
FV5	1L	SUPFV501
FV5	4L	SUPFV504





SUPERIOR

PASTE HARDENERS

SIZE 30ml 120ml

Extra paste hardeners for polyester and acrylic-based adhesive products. Available in 30ml and 120ml tubes, this white paste serves as the catalyst that accelerates the chemical reactions.

SUPERIOR	
PEARL	

Superior PEARL is very light / white (pearlescent) in color making it ideal for invisible joints, especially on light/white colored stones. Perfect for seaming, laminating and chip repair on all types of natural and engineered stone.

VISCOSITY

PV5

PV5

PV5

PV9

PV9

SIZE

1L

4L

20L

1L

20L

CODE

SUPPV501

SUPPV504

SUPPV520

SUPPV901

SUPPV920

V
F

Superior FUSION is a blend of Vinyl

0)		
ION -5			
-5			

ADHESIVES

ADHESIVES

	CODE
	SUPCOLBLK60
	SUPCOLBLU60
1	SUPCOLBRN60
	SUPCOLBUF60
	SUPCOLGRE60
	SUPCOLGRN60
	SUPCOLOCH60
	SUPCOLRED60
	SUPCOLRST60
	SUPCOLWHT60





CODE
SUPBP0030
SUPBP0120









TENAX SOLID BIANCO

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical in a white colour. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains very quantities of VOC. Colourable with Tenax Colour Pastes.

TENAX **SOLID BIANCO 2**

Polyester resin adhesive is a pre-coloured white adhesive paste used for glueing and repairing Stone. Extra white. Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains low quantities of VOC.

TENAX SOLID NERO

Highly concentrated, black paste wax designed to increase the brilliance of glossy surfaces. Excellent water/oil repellant properties. No yellowing in UV. No surface films. Food safe

TENAX **SOLID BEIGE**

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains low quantities of VOC.

SIZE	COLOUR	CODE
1L	White	TNXBIANS1.0
4L	White	TNXBIANS4.0
17L	White	TNXBIANS17.0
Ratio of ma	astic + hardener	100+2/3
1.0.0001110		
	n bulk at 25°)	4-5 min



SIZE	COLOUR	CODE
1L	White	TNXBIA2S1.0
17L	White	TNXBIA2S17.0
Ratio of ma	astic + hardener	100+2/3
	astic + hardener n bulk at 25°)	100 + 2/3 4-5 min



SIZE	COLOUR	CODE
1L	Black	TNXBLKS1.0
Ratio of mastic + hardener		100+2/3
Gel time (in bulk at 25°)		4-5 min
Tacky free		25-30 min



SIZE	COLOUR	CODE
1L	Beige	TNXSOLS1.0

(in thin layer at 25°)

Ratio of mastic + hardener 100 + 2/3 Gel time (in bulk at 25°) 4-5 min Tacky free 25-30 min (in thin layer at 25°)



	$\mathbf{V} = \mathbf{V} = $
--	--

TENAX TITANIUM VINYLESTER

SIZE COLOUR 1L Transpar

Tacky free

(in thin layer at 25°)

Tenax Titanium has been developed with the latest Vinyl Ester technology. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all Granite, Marbles, Quartz and Quartzite materials. Titanium is superb on white and light colored marble, Quartz and Quartzite materials. Takes color very well for darker stones.

TENAX **UNIVERSAL COLOURS**

Universal colour pastes for polyester resin and epoxy systems.

- Easy to mix
- Universal colouring

SIZE	CODE
75ml	TNXUNIBLA.075
300ml	TNXUNIBLA.300
75ml	TNXUNIBLU.075
75ml	TNXUNIBR0.075
75ml	TNXUNIGRE.075
75ml	TNXUNIRED.075
75ml	TNXUNIWHI.075
300ml	TNXUNIWHI.300
75ml	TNXUNIYEL.075
	75ml 300ml 75ml 75ml 75ml 75ml 75ml 300ml

TENAX

COLOUR UNIVERSAL COLOURS KIT Assorted

Universal colour pastes for polyester resin and epoxy systems.

- Easy to mix
- Universal colouring
- Available individually or in a set: Black, Brown, White, Yellow, Red and Green

TENAX HARDENER FOR POLYESTER

SIZE	CODE
45g	TNXHA
180a	TNXHA

Hardener paste to be used together with pre-coloured polyester resin

SILE	CODE
45g	TNXHA
180g	TNXHA

adhesive

e.			

ADHESIVES

	SIZE	COLOUR	CODE
	1L Transparent		TNXTITANS1.0
Ratio of mastic + hardener		astic + hardener	100 + 2/3
Gel time (in bulk at 25°)		n bulk at 25°)	4-6 min

18-20 min







CODE TNXUNICOL6



RD.45 RD.180





CLEANING, PROTECTING AND MAINTENANCE

LITHOFIN WAX-OFF

CLEANING,

, PROTECTING AND MAINTENANCE

Wax and Oil Remover. Product type: solvent based cleaner

Removes layers of wax, silicone, sealants, tar, oil stains, lacquer and glue. Deposits are dissolved and can then be washed off with water.

- Ready-to-use
- Deep acting
- Leaves no residues

CODE LFWAX0FF01

SIZE

1L

SI7F

SIZE

COVERAGE STORAGE Approx. 7 to 15 Closed, cool, dry, m2/L up to 4 years



LITHOFIN STAINSTOP >W<

Water Based Special Impregnator. Product type: water based protective impregnator

This solvent free impregnator effectively protects surfaces against the penetration of oil, grease, dirt and water and prevents staining. Facilitates care on all absorbent stain sensitive surfaces.

- Invisible, matte
- Effective for many years
- Odourless

LITHOFIN **RESIN-EX**

Special Stripper Gel. Product type: acid and solvent based cleaner

Removes all residues of epoxy-grout and similar blemishes such as resins, sealants, oil and grease deposits, paint (graffiti), plastic residues, etc. Suitable for ceramics and all rough natural and artificial stones.

- Gel-like, easy to use
- Does not leave streaks
- Highly active

OILL	CODE
1L	LFSTNSTW01
5L	LFSTNSTW05
10L	LFSTNSTW10
20L (2x 10L)	LFSTNSTW20

CODE

COVERAGE	STORAGE
Approx. 10 to 20	Closed, cool,
m²/L	up to 2 years



1 L LFRESINEX01 5 L LFRESINEX05 COVERAGE STORAGE

Approx. 5m2/L Closed, cool, up to 2 years

CODE



LITHOFIN **KF CEMENT RESIDUE REMOVER**

Product type: acidic cleaner

For interior and exterior use on ceramic surfaces such as fully vitrified tiles, quarry tiles, clay pavers, etc. Effortlessly removes cement and mortar residues. rust. lime. efflorescence and other hardened dirt layers.

- Concentrate very high yield
- Acts rapidly
- Hardly any odour

LITHOFIN **KF INTENSIVE CLEANER**

Product type: alkaline cleaner

For occasional thorough cleaning or for regular cleaning of floors subjected to heavy wear. Removes stubborn dirt, oil and grease. Suitable for all ceramic finishes.

- Concentrate high yield
- Extra strong
- Highly active

LITHOFIN **KF STAIN-STOP**

Product type: water based protective impregnator

For initial treatment of new floors with polished and sensitive surfaces. Prevents penetration of water and oil, protects against stains and dirt, and makes maintenance easier.

- Ideal for polished porcelain tiles
- Ready for use
- Odourless and invisible

LITHOFIN **KF VITRA-CLEAN**

SIZE 1L

Product type: mildly alkaline maintenance product

For continuous care of floors subjected to normal levels of wear. Cleans and maintains rough and polished surfaces streak-free making them even more attractive.

- Concentrate very high yield
- Also for polished surfaces
- Does not form layers

SIZE 1L 5L

COVERAGE Approx. 20 to 30

m2/L

1L 5L COVERAGE

SIZE

10 to 15 m2/L as base cleaner,

- up to 100 m2 diluted

SIZE 1L

COVERAGE Up to 50 m2/L

COVERAGE Use one squirt

(ca. 20 ml) per

10 L bucket of

water

CLEANING, PROTECTING AND MAINTENANCE

CODE

LFKCRR01 LFKCRR05

STORAGE

Closed, cool, up to 4 years



CODF

LFKINTCLN01 LFKINTCLN05

STORAGE

Closed, cool, up to 5 years



CODE

LFKSTNST01

STORAGE

Closed, cool frostfree, up to 3 years



CODE LFKVITCLN01

STORAGE Closed, cool, up to 5 years



CLEANING, PROTECTING AND MAINTENANCE

LITHOFIN **KF ACTIVE-CLEAN**

CLEANING,

PROTECTING

AND

MAINTENANCE

Product type: acidic cleaner

For the regular maintenance of bathrooms and toilet areas, promoting shine and hygienic cleanliness. Removes lime scale, rust, grease deposits and soap scum from baths and showers. Cleans chrome, ceramics, stainless steel etc. Not for acid-sensitive surfaces.

- Concentrate very high yield
- Self-acting
- Pleasant odour

LITHOFIN **KF MILDEW-AWAY**

Product type: chlorine based cleaner

Removes black spots, mould, fungus, algae and other organic discolorations in sanitary areas. Effective on tiles, silicon and cement joints, on plaster, stone and masonry.

- Ready-to-use
- Easy to use
- Acts rapidly

LITHOFIN **KF GROUT PROTECTOR**

Product type: water based protective impregnator

For grout in ceramic surfaces. Protects against greasy dirt and spots in kitchen and bathroom, and makes maintenance easier

- Ready for use
- Invisible
- Long-term effect

CODL
LFKACTCLN01

SIZE

1L

SIZE

SIZE

ml

500 ml

COVERAGE

COVERAGE	STORAGE
Up to 100 m2/L	Closed, cool, up to 5
	years

CODF

CODE



500 ml	LFKMILDAW0.5
COVERAGE	STORAGE
Approx. 6 m2/L	Closed, cool, dark, up to 1 year



CODE LFKGPR00.5 STORAGE

Up to 5 m2/500 Closed, cool, frostfree, up to 2 years



LITHOFIN **MN POWER-CLEAN**

Product type: alkaline cleaner

For thorough cleaning in case of severe general and greasy dirt, residues of floor care products, etc. For regular cleaning of high-traffic and outdoor areas such as shopping centres and food courts. For final cleaning of new surfaces at building sites.

- Concentrate high yield

LITHOFIN **MN BUILDERS' CLEAN**

Product type: acidic cleaner

Cleans Granite, Gneiss, Quartzite and other Natural and Engineered stones. Removes cement films, stubborn dirt residues, blooms, efflorescence, rust and rust discolorations. Also acts to prevent rust in hard stones containing iron. Not suitable for polished Marble, Limestone etc.

Approx. 30 to 50 m2/L

- Concentrate high yield
- Very strong
- Prevents rust

LITHOFIN **MN STAIN-STOP**

Product type: solvent based protective impregnator

This special impregnator optimally protects absorbent, stain-sensitive Natural and Engineered Stone surfaces against staining. Largely prevents penetration of oil, grease and water and makes further maintenance easier.

- Poses no health concerns once dry
- Ready to use
- Effective for many years

LITHOFIN MN EASY-CARE

Product type: mildly alkaline maintenance product. Developed for continuous care of all types of stone surfaces. Cleans. enhances and maintains the surface in one action. Coarse and polished surfaces become increasingly beautiful and richer in colour and structure with regular use. Ideal for imoregnated or sealed surfaces. • Concentrate - very high yield

- Does not form layers
- Non-bleaching

SIZE 500ml 1L 5L 10L 20L

COVERAGE Approx. 7 to 15 m2/L

SIZE 1L 5L

COVERAGE

Use one squirt (ca. 20 ml) per 10 years L bucket of water

SIZE

500ml

COVERAGE

m2/L

SIZE

1L

5L

Approx. 10 to 30

Highly effective

• Low on solvents and odour

10L COVERAGE



CLEANING, PROTECTING AND MAINTENANCE

CODE

LFMPWRCLN0.5	
LFMPWRCLN01	
LFMPWRCLN05	
LFMPWRCLN10	

STORAGE

Closed, cool, up to 3 years



CODE
LFMBLDCLN01
LFMBLDCLN05
LFMBLDCLN10

STORAGE
Closed, cool,
up to 5 years



CODE LFMSTNST0.5

LFMSTNST01 LFMSTNST05 LFMSTNST10 LFMSTNST20

STORAGE Closed, cool, dry, up to 3 years

CODE	
LFMECARE01	
LFMECARE05	

STORAGE Closed, cool, up to 5





SIZE

1L

SIZE

1L

5L

COVERAGE

Up to 100 m2/L

CLEANING, PROTECTING AND MAINTENANCE

CLEANING, PROTECTING AND MAINTENANCE

Product type: highly alkaline cleaner For removing stubborn dirt deposits,

grease, oil, wax, polymer layers, etc. Cleans and degreases ceramic tiles, stone, slabs, etc.

- Concentrate
- Highly effective

LITHOFIN PRO

Professional Impregnator. Product type: water based protective impregnator

Protects all absorbent aurfaces. Prevents oil and water borne staining and reduces the growth of milde wand algae.

- Easy to apply
- Invisible but permanent effect





SIZE	CODE
5L	LFPR005
10L	LFPR010
20L	LFPR020

CODE

LFASR01

LFASR05

STORAGE

years

Closed, cool, up to 5

COVERAGE STORAGE Closed, cool, dry, Approx. 20 m²/L on natural stone; frost-free, up to 40 m²/L on approx. 12 months porcelain tiles



ASR

GREEN BY LITHOFIN SIZE

DAILY CARE CLEANER

1L

SIZE

1L

SIZE

500ml

A cleaner concentrate formulated with natural, plant-based ingredients. Suitable for all floors and leaves a streakfree finish. Green by Lithofin Daily Care Cleaner is suitable for use on all waterresistant floor surfaces including fine Stoneware, Ceramics, Glazed Tiles, Glass Mosaic as well as polished surfaces.

GREEN BY LITHOFIN DEEP CLEANER

An ideal product for powerful yet sustainable general cleaning, both indoors and outdoors. It can be used on all waterproof floor surfaces, stone and tiles for thorough cleaning. Suitable for removing of common dirts as well as greasy/oily staining. Also suitable for removing floor care residues and waterbased sealants.

GREEN BY LITHOFIN MULTI SURFACE CLEANER

Suitable for tiles, stone and all waterresistant surfaces throughout the house. Green by Lithofin Multi Surface Cleaner removes dirt and leaves a streakfree finish on natural stone surfaces, ceramics, plastic, high-gloss kitchen fronts, stainless steel, faucets, mirrors, glass, windshields, polished and unpolished surfaces.

GREEN BY LITHOFIN SANITARY CLEANER

Green by Lithofin Sanitary Cleaner is formulated with natural, organic acids and removes limescale stains, soap residues and lime deposits in the bathroom and shower. Green by Lithofin Sanitary Cleaner is ideal for cleaning acid-resistant surfaces such as shower frames and walls made of plastic, stainless steel and glass, for shower curtains, ceramic tiles and fittings.

SIZE 500ml

LITHOFIN

MN EASY-CLEAN

• Easy to polish High yield • Ready-to-use

LITHOFIN ASR

Alkaline Special Remover.

Product type: mildly alkaline cleaner

For every-day cleaning of small stone

surfaces such as kitchen benchtops, tabletops, bathroom vanity tops and wall

tiles. Enhances the appearance of the

stone and leaves a pleasant odour.

CLEANING, PROTECTING AND MAINTENANCE

CODE LFGDCCLN01



CLEANING, PROTECTING AND MAINTENANCE

CODE LFGDEEPCLN01



CODE LFGMSCLN0.5



CODE LFGSANICLN0.5



StoneLux Advanced Repair Technology

RESTORATION



GRABO

The Grabo is a fully portable electric vacuum intended to lift, move and place everything from tiles and plasterboard to furniture and large appliances. Now with a suction gauge, The Grabo can hold up to 170kg and grab almost any surface with ease.

This vacuum lifter is a new and revolutionary way to lift and handle tiles, glass, concrete, plasterboard, furniture and much more. Rough, textured, dusty or wet, the Grabo grabs them all. With a 1.5 hour run time, the Grabo makes positioning stone and tiles easy.

The kit contains two batteries, a fabric bag and a replacement rubber seal



CODE HE.GRABO

GRABO PRO

The Grabo Pro Lifter is designed for professionals, with a fully portable electric vacuum intended to lift, move and place everything from tiles and plasterboard to furniture and large appliances.

- 2 hour charge for 1.5 hour work time.
- Up to 170kg of holding force.
- Rough, textured, dusty or wet Grabo grabs them all.
- The foam rubber vacuum seal is strong and resistant to loss of vacuum pressure.
- Slimline ergonomic handle for better grip and less fatigue when moving heavy objects.
- Use for all surface types, with automatic stop function at 11.6Psi, digital display and electronic pressure gauge.
- Automatic vacuum monitor, if pressure is lost the pump is automatically powered until vacuum pressure is restored.
- Designed for flooring professionals, glass installers, carpenters, movers, construction workers and more.

CODE

HE.GRABOPR020

GRABO OTTOVAC

The Grabo Ottovac is designed for tilers and glaziers and is ideal for easy lifting of glass and small to medium tiles. Featuring an automatic sensor, suction indicator and an ergonomic design, the Ottovac is rated to lift 200kgs and runs off four AA batteries. When the vacuum level drops below -55 kPa, the pump will automatically restart, reaching the optimum pressure.

CODE

HE.OTTOVAC

STONELUX 2.0 Professional Kit

RESTORATION

The StoneLux 2.0 Professional kit contains all the components to effect fast high-quality repair work – from preparing and repairing the damage to finishing the repaired surface. The new comprehensive StoneLux 2.0 Professional kit is designed for repairs on a range of surfaces including Natural Stone, Quartz Composite, Stoneware, Ceramic and Tiles. The kit includes 10 repair colors, new ceramic repair pastes with 14 new colour shades for advanced surfaces, 2 new 30ml filler materials, 4 new fine grinding pads, 2 new primer pens, the Blue:Tron Powerlight and more. As an optional extra, the Proxxon Fine Drill Grinder is used to

As an optional extra, the Proxxon Fine Drill Grinder is used to prepare the surface for restoration. Includes the Proxxon Fine Drill Grinder and the Proxxon Fine Drill Charger. Fits into the StoneLux 2.0 Professional kit carry case.

OPTION	CODE
Professional Kit	SL2.PR0
Proxxon Fine Drill Grinder & Charger	SL2.RT



STONELUX 2.0 Compacc Kit

The StoneLux 2.0 Compacc kit contains all the basic components to start repair work – from preparing and repairing the damage to finishing the repaired surface. The new StoneLux 2.0 Compacc kit is designed for repairs on a range of surfaces including Natural Stone, Quartz Composite, Stoneware, Ceramic and Tiles.

The kit includes 4 repair colors, new ceramic repair pastes, 2 new fine grinding pads, 2 new primer pens, the Blue:Tron Powerlight and more.

CODE

SL2.COM

STONELUX 2.0 Ceramics kit

The StoneLux 2.0 Ceramics kit is a supplementary kit specifically for the repair of quartz and ceramic surfaces. The new comprehensive StoneLux 2.0 Ceramic kit includes ceramic repair material that is designed to replicate the colours and textures found in Quartz and Ceramic surfaces.

The kit includes 13 new ceramic repair pastes, 1 sanitary ceramic paste, 1 filler material, 1 opaquer material, 1 separator pen for stamping technique and more.

CODE SL2.CER

THE COMPLETE RANGE OF STONELUX 2.0 REPLACEMENT COMPONENTS ARE AVAILABLE. CONTACT DIAREX FOR MORE INFORMATION.



PORTABLE VACUUM LIFTER

PORTABLE VACUUM LIFTER



DAREX®

HANDLING EQUIPMENT

HANDLING

DIARFX

ACTION

DIAREX

button.

DIAREX TWIN CUP VACUUM LIFTER

SINGLE CUP LIFTER WITH LEVER

Easy to use - suction is created by single

handedly pulling the handles together. When released, suction is lost.

> CODE HE.HG02

CODE

HE.HG01L

Universal suction lifter for handling all kinds of loads. Please Note: Load Capacity 60kg vertically, 80kg horizontally.

TRIPLE CUP VACUUM LIFTER

200MM VACUUM GRIPPER

200mm single vacuum cup with 100kg (GS 65kg*) lifting capacity. Full metal handle with brass pump. Includes protective carry case and cover. All-

metal handle/pump assembly with flat pad for flat surfaces. Vacuum leakage indicator with suction quick release

DIAREX

CODE HE.HG03

Triangular formation allows even distribution of pressure to reduce strain on material.

> CODE HF.HG01HP8



*Safety factor is 2 under GS (German Safety) requirements.

DIAREX SINGLE-SIDED BUGGY

The Diarex Single Sided buggy allows the transportation of small pieces around the factory with easy thanks to it's light frame, front swivel wheels and handles.









FOLLOW US ON INSTAGRAM @DIAREXTOOLS

Follow our Instagram to stay up to date with the latest tools and equipment, as well as, tips and tricks for all your favourite tools.

Diarex sources the highest quality tools to make your job efficient and effective. Our social media accounts showcase all our reliable tools in action and gives you an insight into how our trusted tools perform.

We also share handy tips, tricks and usage knowledge that will save you time and increase your productivity.

Follow our Instagram account today to stay up to date!



Discover more at diarex.com.au

R

W www.diarex.com.au

Melbourne 1 Friegher Road Moorabbin VIC 3189 03 8552 6000 E info@diarex.com.au

Sydney 20 Yulong Close Moorebank NSW 2170 02 9822 5155 f 🕜 diarextools

Gold Coast 26 Wrights Place Arundel QLD 4214 07 5537 3222

Adelaide 22 Richard Street Hindmarsh SA 5007 08 8340 2877 9360448001221

ABN 52104900647

Perth 231 Camboon Road Malaga WA 6090 08 6240 2200